extendable outwardly from said center post, said boom extendable to a reach of at least about 16 feet.

said trailer and said crane configured to have a weight of about 6000 pounds and a lifting capacity of at least about 1200 pounds at a reach of about 16 feet;

said center post rotatable about a vertical axis to position said boom, said center post located between said wheels substantially vertically aligned with said axle; and

an attachment located at a free end of said boom for connecting a lifting line; and

a crane operator control station carried by said trailer, said control station fixed in position on said trailer independent of said center post such that rotation of said center post does not move said operator control station, said operator control station facing a lateral side of said trailer.

- 2. (Currently Amended) The crane apparatus according to claim 1, further comprising a vibratory driver suspended from a-said free end of said crane via said attachment and arranged and configured to grasp and then drive a piling sheet into the ground.
- 3. (Original) The crane apparatus according to claim 1 wherein said wheels comprise tires having a width of about 16 inches.

- 4. (Original) The crane apparatus according to claim 1, comprising a crane hydraulic power unit and an accessory hydraulic power unit carried by said trailer.
- 5. (Original) The crane apparatus according to claim 1, further comprising a sheet piling driver suspended from said crane.
- 6. (Currently Amended) The crane apparatus according to claim 1, wherein said crane operator control station further-comprises a control panel having <u>said</u> controls for operating said crane, <u>and</u> a seat mounted to said trailer for supporting an operator at said control panel.
- 7. (Currently Amended) The crane apparatus according to claim 1, comprising a hydraulic power unit having <u>said</u> controls, and a seat supported on said trailer and located for an operator to manually control said controls.
- 8. (Original) The crane apparatus according to claim 6, wherein said seat is arranged facing in a direction perpendicular to a longitudinal axis of said trailer.
- 9. (Currently Amended) The crane apparatus according to claim 1, further comprising outriggers arranged at respective back corners of said trailer and deployable to support the trailer back corners of said trailer from the ground.

- 10. (Original) The crane apparatus according to claim 9, wherein said outriggers are hydraulically deployable.
- 11. (Currently Amended) A trailer-mounted crane apparatus, comprising:

a compact trailer having a frame supported from a ground surface on at least two wheels having a common axis of rotation, said trailer having a substantially rectangular trailer platform carried by said frame;

a hydraulically operated crane arm extendable from a post, said post mounted to said trailer at a fixed position to extend upwardly from a central location of said trailer platform, said central location substantially centrally located both longitudinally and laterally, said crane arm extendable from said post said post mounted to said trailer at a position substantially vertically aligned with said common axis of rotation of said wheels;

a hydraulic crane power unit mounted to said trailer for supplying pressurized hydraulic fluid to said crane arm;

a control panel <u>carrying controls for</u> said hydraulic power unit, <u>said</u>

<u>control panel</u> mounted on said trailer <u>independent of movement of said post</u>; and

an operator seat supported from said trailer <u>independent of</u>

movement of said post and arranged to face said control panel.

- 12. (Currently Amended) The trailer-mounted crane apparatus according to claim 11, further comprising a vibratory sheet pile driver suspended from said crane arm, and said trailer-mounted crane apparatus further comprises a hydraulic driver power unit for driving said vibratory sheet pile driver mounted on said trailer, wherein said control panel includes controls for said hydraulic driver power unit, an operator on said seat capable of reaching said controls for said hydraulic crane power unit and for said hydraulic driver power unit.
- 13. (Currently Amended) The trailer-mounted crane apparatus according to claim 12, wherein said crane arm includes comprising a longitudinally extended hydraulic cylinder mounted longitudinally along said trailer, said hydraulic cylinder operatively connected to said post to rotate said post.
- 14. (Currently Amended) The trailer-mounted crane apparatus according to claim 13, wherein said hydraulic crane power unit is mounted on said trailer in front of said crane-post, and said control panel and said operator seat are mounted in front of said hydraulic crane power unit and laterally of said crane-post, and said hydraulic crane power unit is mounted in front of said crane post.

- 15. (Previously Amended) The trailer-mounted crane apparatus according to claim 14, further comprising a sheet pile driver retainer extending rearwardly of said trailer, and mounted to said trailer.
- 16. (Previously Amended) The trailer-mounted crane apparatus according to claim 14, further comprising a sheet pile driver cradle mounted to said trailer on a side of said crane opposite to said operator's seat.
- 17. (Currently Amended) A mobile crane apparatus, comprising:

 a trailer having an a frame that mounts a single axle, said trailer frame
 supported en by at least one pair of road transportation wheels mounted on said
 axle, said trailer having a substantially rectangular platform supported by said
 frame, said frame having a hitch attachment on a front thereof; and

a hydraulically operated crane having a center post and a boom, said center post supported to extend upwardly from a central location of said trailer <u>platform</u>, said central location substantially centrally located both longitudinally and laterally, and said boom <u>telescopically</u> extendable outwardly from said center post, said center post being located substantially equidistant between said wheels.

18. (Currently Amended) The mobile crane apparatus according to claim 17, further comprising a vibratory sheet pile driver suspended from said

boom, and said mobile crane apparatus further comprises a hydraulic driver power unit for driving said vibratory sheet pile driver, carried on said trailer.

19. (Currently Amended) The mobile crane apparatus according to claim 17 wherein said hydraulically operated crane comprises an elongated hydraulic cylinder extending longitudinally along said trailer, said elongated cylinder fastened to said trailer, and said center post is carried by said elongated cylinder, said elongated cylinder operatively connected to said post to selectively rotate said post by hydraulic fluid pressure.

20. (Currently Amended) The mobile crane apparatus according to claim 18, further comprising:

a control panel for said hydraulic driver power unit <u>fixedly</u> mounted on said trailer;

an operator seat supported from fixedly mounted to said trailer and arranged to face said control panel;

a hydraulic crane power unit for supplying pressurized hydraulic fluid to said crane,

wherein said hydraulic driver power unit is mounted on said trailer in front of said crane center post, and said control panel and said operator seat are mounted on said trailer in front of said hydraulic crane power unit and laterally of said crane center post, and said hydraulic driver power unit is mounted on said trailer in front of said crane center post.

- 21. (Previously Added) The mobile crane apparatus according to claim 17, wherein said hydraulically operated crane comprises about 50% of the total weight of said mobile crane apparatus.
 - 22. (Cancelled)
 - 23. (Cancelled)
- 24. (Currently Amended) The mobile crane apparatus according to claim-23 17, wherein said wheels comprise tires having a width of about 16 inches.
 - 25. (Cancelled)
- 26. (Currently Amended) The mobile crane apparatus according to claim 17, wherein:

said trailer comprises a compact, single axle trailer having a substantially rectangular platform having four corners and a towing hitch assembly having coupled to said platform and extending from a front end thereof; and

said apparatus further comprises four outriggers coupled to said platform, each outrigger located adjacent to a respective one of said four corners

of the rectangular platform, said outriggers deployable to support said platform from grade at said four corners, said center post being located substantially equidistant to each outrigger.

27. (Currently Amended) A compact mobile crane apparatus configured having a low tire ground contact pressure for use on golf courses for landscaping, comprising:

a compact trailer having an a single axle and a towing hitch on a front end thereof, during road transportation said trailer supported only on at least one pair of road transportation wheels mounted on said axle and said towing hitch; and

a hydraulically operated crane having a center post and a telescopically extendable boom, said center post supported at a fixed position on said trailer to extend upwardly from a central location of said trailer, and said boom extendable outwardly from said fixed position of said center post, said center post, being located substantially equidistant from said wheels vertically aligned with said axle;

an attachment located at a free end of said boom for connecting a lifting line.

28. (Currently Amended) The compact mobile crane apparatus according to claim 27, wherein:

said trailer comprises a compact, single axle trailer having a substantially rectangular platform-framework having four corners and a towing hitch assembly coupled to said platform and extending from a front end thereof; and

said apparatus further comprises four outriggers coupled to said platform framework, each outrigger located adjacent to a respective one of said four corners of the rectangular platform framework, said outriggers deployable to support said platform framework from grade at said four corners, said center post being located substantially equidistant to each outrigger.

- 29. (Previously Added) The compact mobile crane apparatus according to claim 27, further comprising a vibratory sheet pile driver suspended from said boom, and said mobile crane apparatus further comprises a hydraulic driver power unit mounted on said trailer for driving said vibratory sheet pile driver.
- 30. (Currently Amended) The compact mobile crane apparatus according to claim 29, further comprising:

a control panel for said hydraulic driver power unit <u>fixedly</u> mounted on said trailer;

an operator seat <u>fixedly mounted to</u> supported from said trailer and arranged to face said control panel;

a hydraulic crane power unit for supplying pressurized hydraulic fluid to said crane.

wherein said hydraulic driver power unit is mounted on said trailer in front of said crane center post, and said control panel and said operator seat are mounted on said trailer in front of said hydraulic crane power unit and laterally of said crane center post, and said hydraulic driver power unit is mounted on said trailer in front of said crane center post.

- 31. (Previously Added) The compact mobile crane apparatus according to claim 30, wherein said hydraulically operated crane comprises about 50% of the total weight of said mobile crane apparatus.
- 32. (Currently Amended) The compact mobile crane apparatus according to claim 27 wherein said hydraulically operated crane comprises an elongated hydraulic cylinder extending longitudinally along said trailer, said elongated hydraulic cylinder fastened to said trailer, and said center post is carried by said elongated hydraulic cylinder, said hydraulic cylinder being operatively connected to said center post to rotate said center post by application of hydraulic fluid pressure within said hydraulic cylinder.
- 33. (New) A compact, self-contained crane and vibratory sheet piling apparatus, comprising:

a compact trailer, being configured to be towed for road transport, said trailer having a frame supported from a ground surface on at least two wheels, said frame including a hitch for being towed;

a crane post and a hydraulically operated crane arm extendable from said post, said post mounted to said frame to extend upwardly from said trailer;

a hydraulic crane power unit for supplying pressurized hydraulic fluid to said crane arm, said hydraulic crane power unit mounted on said frame;

a vibratory sheet pile driver suspended from said crane arm;

a hydraulic driver power unit for supplying pressurized hydraulic fluid for driving said vibratory sheet pile driver, said hydraulic driver power unit mounted on said frame,

a control station mounted on said trailer, said control station mounted independent of movement of said post, and said control station including controls for said hydraulic crane power unit and said hydraulic driver power unit, wherein an operator at said station is capable of reaching said controls for said hydraulic crane power unit and for said hydraulic driver power unit, the operator capable of controlling both said crane arm movement and said vibratory sheet pile driver from said station.

34. (New) The compact, self-contained crane and vibratory sheet piling apparatus according to claim 33, wherein said control station comprises an operator seat supported from said trailer independent of movement of said post and arranged to face said control station.

35. (New) The compact, self-contained crane and vibratory sheet piling apparatus according to claim 33, wherein said trailer comprises a single axle trailer, said at least two wheels having a common axis of rotation aligned with said single axle, and said post is mounted to said trailer at a position substantially vertically aligned with said common axis of rotation.